

SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name: TITAN SINTOFLUID FE 75W

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses: Lubricant

Uses advised against: No uses advised against identified.

1.3 Details of the supplier of the safety data sheet

Manufacturer / Supplier FUCHS LUBRICANTS (UK) PLC.

New Century Street ST1 5HU Hanley

Telephone: +44 (0) 1782 203700

Contact Person: Product Safety department E-mail: product.safety@fuchs.com Telephone: +44 (0) 1782 203700

UK NHS: Dial 111 1.4 Emergency telephone number:

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

The product has not been classified as hazardous, but needs to be labelled according to regulation GB-CLP.

Classification according to GB-CLP.

Hazard summary

Physical Hazards: No data available.

2.2 Label Elements

EUH208: Contains Dialkyl dithiophosphate ester. May produce an allergic

reaction.

EUH210: Safety data sheet available on request.

2.3 Other hazards: By handling of mineral oil products and chemical products no particular

hazard is known when normal precautions (item 7) and personal protective

equipment (item 8) are kept.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Issue Date: 21.03.2022 Revision Date: 07.08.2023

SDS_GB - EN - 000000000602183736

Version: 1.2 Print date: 12.01.2024



Product name: TITAN SINTOFLUID FE 75W

General information: Mixture containing severely refined base oils and additives.

Chemical name	Identifier		UK-REACH Regis- tration No.	Notes
amine phosphate	EC: 931-384-6	0,10% - <0,93%		
Dialkyl dithiophosphate ester	EC: 434-070-2	0,10% - <1,00%		

^{*} All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

Classification

Chemical name	Identifier	Classification		
amine phosphate	EC: 931-384-6		Acute Tox. 4;H302, Eye Dam. 1;H318, Skin Sens. 1B;H317, Aquatic Chronic 2;H411	
Dialkyl dithiophosphate ester	EC: 434-070-2		Eye Dam. 1;H318, Skin Sens. 1B;H317, Aquatic Chronic 3;H412	

GB-CLP

specific concentration limit

Chemical name	Identifier	specific concentra- tion limit	Hazard class	Category	Hazard state- ments
amine phosphate	EC: 931-384-6	>= 9,39 %	Skin sensitizer	1B	H317
		> 50 %	Serious eye damage	1	H318
		> 50 %	Serious eye irritation	2	H319

For the wording of the listed hazard statements refer to section 16.

Please note that the mineral oils and petroleum distillates used in our products are severely refined and have a DMSO extract < 3% as measured by method IP 346 and are not classified as carcinogenic according to Nota L/ Nota N of Annex VI of Regulation GB-CLP.

SECTION 4: First aid measures

General: Instantly remove any clothing soiled by the product.

4.1 Description of first aid measures

Inhalation: Supply fresh air; consult doctor in case of symptoms.

Eye contact: Promptly wash eyes with plenty of water while lifting the eye lids.

Skin Contact: Wash with soap and water.

Ingestion: Rinse mouth thoroughly.

4.2 Most important symptoms and effects, both acute and

and enects, both acute and

delayed:

May cause skin and eye irritation.

Issue Date: 21.03.2022 Revision Date: 07.08.2023 Print date: 12.01.2024

SDS_GB - EN - 000000000602183736

Version: 1.2

PBT: persistent, bioaccumulative and toxic substance.

vPvB: very persistent and very bioaccumulative substance.



Product name: TITAN SINTOFLUID FE 75W

4.3 Indication of any immediate medical attention and special treatment needed

Get medical attention if symptoms occur.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing me-

dia:

CO2, fire extinguishing powder or fog like water spraying. Extinguish larger fires with alcohol resistant foam or spray water with suitable surfactant add-

Unsuitable extinguishing

media:

Water with a full water jet.

5.2 Special hazards arising from the substance or mixture:

During fire, gases hazardous to health may be formed.

5.3 Advice for firefighters

Special fire-fighting proce-

dures:

Move container from fire area if it can be done without risk. Dispose of fire debris and contaminated fire fighting water inaccordance with official regulations. Collect contaminated fire fighting water separately. It must not enter

drains.

Special protective equipment for fire-fighters:

Self-contained breathing apparatus and full protective clothing must be

worn in case of fire.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures:

In case of spills, beware of slippery floors and surfaces.

6.2 Environmental Precautions:

Prevent from spreading (e.g. by binding or oil barriers). Avoid release to the environment. Environmental manager must be informed of all major spillages. Prevent further leakage or spillage if safe to do so. Do not allow to enter

drainage system, surface or ground water.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acidbinders, universal binders, sawdust). Dispose of the material collected according to regulations. Stop the flow of material, if this is without risk.

6.4 Reference to other sections:

See Section 8 of the SDS for Personal Protective Equipment. See Section 7 for information on safe handling See Section 13 for information on dis-

posal.

SECTION 7: Handling and storage:

7.1 Precautions for safe handling:

Prevent formation of aerosols. Do not eat, drink or smoke when working with the product. Take usual precautions when handling mineral oil products or chemical products. Observe good industrial hygiene practices. Provide adequate ventilation.

Issue Date: 21.03.2022 Revision Date: 07.08.2023 Print date: 12.01.2024

SDS_GB - EN - 000000000602183736

Version: 1.2



Product name: TITAN SINTOFLUID FE 75W

7.2 Conditions for safe storage,

including any incompatibili-

ties:

Do not heat up to temperatures close to the flash point.

7.3 Specific end use(s): No data available.

Storage Class: 10, Combustible liquids

SECTION 8: Exposure controls/personal protection

8.1 Control Parameters

Occupational Exposure Limits

None of the components have assigned exposure limits.

8.2 Exposure controls

Appropriate engineering

controls:

Provide adequate ventilation. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain air-

borne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

General information: Wash hands before breaks and after work. Use personal protective equip-

ment as required. Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment. The usual precautionary measures should be ad-

hered to inhandling the chemicals or the mineral oil products.

Eye/face protection: Avoid contact with skin and eyes. Goggles/face shield are recommended. If

risk of splashing, wear safety goggles or face shield.

Skin protection

Hand Protection: Material: Nitrile butyl rubber (NBR).

Min. Breakthrough time: >= 480 min

Recommended thickness of the material: >= 0,38 mm

Avoid long-term and repeated skin contact. Suitable gloves can be recommended by the glove supplier. Use skin protection cream for preventive skin protection. Protective gloves, where permitted in acc. to safety directions. The exact break through time has to be found out by the manufactur-

er of the protective gloves and has to be observed.

Other: Do not carry cleaning cloths impregnated with the product in trouser pock-

ets. Wear suitable protective clothing.

Respiratory Protection: Ensure good ventilation/exhaustion at the workplace. Avoid breathing va-

pour/ aerosol.

Thermal hazards: Not known.

Issue Date: 21.03.2022 Revision Date: 07.08.2023 Print date: 12.01.2024

Print date: 12.01.2024 SDS_GB - EN - 00000000602183736



Product name: TITAN SINTOFLUID FE 75W

Always observe good personal hygiene measures, such as washing after Hygiene measures:

> handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing to remove contaminants. Discard contaminated foot-

wear that cannot be cleaned.

Environmental Controls: No data available.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

Physical state: liquid Form: liquid Color: Yellow

Odor: Characteristic

pH: substance/mixture is non-soluble (in water)

Freezing point: not determined **Boiling Point:** not determined

Flash Point: 224 °C

Evaporation Rate: Not applicable for mixtures

Flammability (solid, gas): not determined

Flammability Limit - Upper (%)-: Not applicable for mixtures Flammability Limit - Lower (%)-: Not applicable for mixtures Vapor pressure: Not applicable for mixtures Relative vapor density: Not applicable for mixtures Density: 0,87 g/ml (15,00 °C)

Solubility(ies)

Solubility in Water: Insoluble in water Solubility (other): No data available.

Partition coefficient (n-octanol/water): Not applicable for mixtures

Auto-ignition temperature: not determined **Decomposition Temperature:** not determined

Kinematic viscosity: 42,2 mm2/s (40,00 °C)

Value not relevant for classification **Explosive properties: Oxidizing properties:** Value not relevant for classification

Particle characteristics: Not applicable 9.2 Other information No data available.

SECTION 10: Stability and reactivity

10.1 Reactivity: Stable under normal use conditions.

10.2 Chemical Stability: Stable under normal use conditions.

10.3 Possibility of hazardous

reactions:

Stable under normal use conditions.

10.4 Conditions to avoid: Stable under normal use conditions.

Issue Date: 21.03.2022 Revision Date: 07.08.2023

Version: 1.2 Print date: 12.01.2024

SDS_GB - EN - 000000000602183736 5/10



Product name: TITAN SINTOFLUID FE 75W

10.5 Incompatible Materials: Strong oxidizing substances. Strong acids. Strong bases.

10.6 Hazardous Decomposition Thermal decomposition or combustion may liberate carbon oxides and oth-

Products: er toxic gases or vapors.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Oral

Product: Not classified for acute toxicity based on available data.

Dermal

Product: Not classified for acute toxicity based on available data.

Inhalation

Product: Not classified for acute toxicity based on available data.

Skin Corrosion/Irritation:

Product: Based on available data, the classification criteria are not met.

Serious Eye Damage/Eye Irritation:

Product: Based on available data, the classification criteria are not met.

Respiratory or Skin Sensitization:

Product: Skin sensitizer: Based on available data, the classification criteria are not

Respiratory sensitizer: Based on available data, the classification criteria

are not met.

Specified substance(s)

Dialkyl dithiophosphate , OECD 406-1 (Guinea Pig)

ester sensitizing

Germ Cell Mutagenicity

Product: Based on available data, the classification criteria are not met.

Carcinogenicity

Product: Based on available data, the classification criteria are not met.

Reproductive toxicity

Product: Based on available data, the classification criteria are not met.

Specific Target Organ Toxicity - Single Exposure

Product: Based on available data, the classification criteria are not met.

Specific Target Organ Toxicity - Repeated Exposure

Product: Based on available data, the classification criteria are not met.

Aspiration Hazard

Product: Based on available data, the classification criteria are not met.

Issue Date: 21.03.2022 Revision Date: 07.08.2023

SDS_GB - EN - 000000000602183736

Version: 1.2 Print date: 12.01.2024

6/10



Product name: TITAN SINTOFLUID FE 75W

Other adverse effects: No data available.

SECTION 12: Ecological information

General information: Not applicable

12.1 Toxicity

Acute toxicity

Product: Based on available data, the classification criteria are not met.

Fish

Specified substance(s)

amine phosphate LC 50 (Fish, 96 h): 8,5 mg/l

Dialkyl dithiophosphate

ester

LC 50 (Fish, 96 h): 38 mg/l (OECD 203)

Aquatic Invertebrates Specified substance(s)

amine phosphate EC 50 (Water Flea, 48 h): 91,4 mg/l

Dialkyl dithiophosphate

ester

EC 50 (Water Flea, 48 h): 53 mg/l (OECD 202)

Chronic Toxicity

Product: Based on available data, the classification criteria are not met.

Fish

Specified substance(s)

amine phosphate NOEC (Fish, 96 d): 3,2 mg/l

Aquatic Invertebrates Specified substance(s)

amine phosphate NOEC (Water Flea, 21 d): 0,12 mg/l

Toxicity to Aquatic Plants Specified substance(s)

Dialkyl dithiophosphate

EC 50 (Alga, 72 h): 79 mg/l (OECD 201)

ester

12.2 Persistence and Degradability

Biodegradation

Product: Not applicable for mixtures

Specified substance(s)

amine phosphate 7,4 % (28 d, OECD 301B)

Dialkyl dithiophosphate

ester

< 10 % (OECD 301B) Not readily degradable.

12.3 Bioaccumulative potential

Product: Not applicable for mixtures

Issue Date: 21.03.2022 Revision Date: 07.08.2023 Print date: 12.01.2024

SDS_GB - EN - 000000000602183736

Version: 1.2

7/10



Product name: TITAN SINTOFLUID FE 75W

Specified substance(s)

Dialkyl dithiophosphate

ester

Bioconcentration Factor (BCF): < 10 (OECD 305)

12.4 Mobility in soil:

Product: Not applicable for mixtures

12.5 Results of PBT and vPvB

assessment:

The product does not contain any substances fulfilling the PBT/vPvB crite-

ria

12.6 Other adverse effects: No data available.

Water Hazard Class

(WGK):

WGK 2: significantly water-endangering.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

General information: Dispose in accordance with all applicable regulations.

Disposal methods: Do not empty into drains; dispose of this material and its container in a safe

way. When storing used products, ensure that the waste categories and

mixing instructions are observed.

List of Waste (LoW) Codes

13 02 05*: mineral-based non-chlorinated engine, gear and lubricating oils

SECTION 14: Transport information

ADR/RID

14.1 UN number or ID number: –
14.2 UN Proper Shipping Name: –

14.3 Transport Hazard Class(es)

14.6 Special precautions for user:

Class: Non-dangerous goods

Label(s):

Hazard No. (ADR): –
Tunnel restriction code: –

14.4 Packing Group: –

14.5 Environmental hazards: –

Issue Date: 21.03.2022
Revision Date: 07.08.2023

Version: 1.2

Revision Date: 07.08.2023
Print date: 12.01.2024



Product name: TITAN SINTOFLUID FE 75W

IMDG

14.1 UN number or ID number: –
14.2 UN Proper Shipping Name: –

14.3 Transport Hazard Class(es)

Class: Non-dangerous goods

Label(s): – EmS No.: –

14.3 Packing Group: -14.5 Environmental hazards: -14.6 Special precautions for user: -

IATA

14.1 UN number or ID number: –
14.2 Proper Shipping Name: –

14.3 Transport Hazard Class(es):

Class: Non-dangerous goods

Label(s): –

14.4 Packing Group: –

14.5 Environmental hazards: –

14.6 Special precautions for user: –

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code: Not applicable.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

GB Regulations

The Ozone-Depleting Substances and Fluorinated Greenhouse Gases (Amendment etc.) (EU Exit) Regulations 2019:

none

The Persistent Organic Pollutants (Amendment) (EU Exit) Regulations 2020:

none

15.2 Chemical safety as-

sessment:

No Chemical Safety Assessment has been carried out.

SECTION 16: Other information

Revision Information: Vertical lines in the margin indicate an amendment.

Wording of the H-statements in section 2 and 3

H302 Harmful if swallowed.
H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.
H319 Causes serious eye irritation.

H411 Toxic to aquatic life with long lasting effects.
H412 Harmful to aquatic life with long lasting effects.

Other information: The classification complies with the current GB lists; however, it has been

supplemented with expert literature information and information provided

Issue Date: 21.03.2022 Revision Date: 07.08.202

Revision Date: 07.08.2023 Version: 1.2 Print date: 12.01.2024

SDS_GB - EN - 000000000602183736



Product name: TITAN SINTOFLUID FE 75W

by/about our company. The following evaluation methods were used: On the basis of test data; Calculation Method; Bridging Principle "Substantially simi-

lar mixtures"; Expert Judgement

Revision Date: Disclaimer:

07.08.2023

The data contained in this safety data sheet are based on our current knowledge and experience and are given to the best of our knowledge and belief. It characterizes the product only with regard to safety requirements for handling, transport and disposal. The data do not describe the product's properties (tech. product specification). Neither should any agreed property nor the suitability of the product for any specific technical application be deduced from the data contained in this safety data sheet. Modifications on this document are not allowed. The data are not transferable to other products. In the case of mixing the product with other products or in the case of processing, the data in this safety data sheet are not necessarily valid for the new-made material. It is the responsibility of the recipient of the product to observe federal, state and local law. Please contact us to obtain up-to-date safety data sheets. This document was issued electronically and has no signature.

Issue Date: 21.03.2022 Revision Date: 07.08.2023 Print date: 12.01.2024

SDS_GB - EN - 000000000602183736